

LISTING DETAILS

Model No: **VT-10080**
 SKU Code: **11564**
 EAN Code: **3800157699020**

MASTER BOX PACKAGING

Qty Per Pallet: **500 pcs**
 Gross Weight: **5.2Kg±0.3Kg**
 Folded Size: **366*356*54mm±5mm**
 Expanded Size: **1670*356*25±5mm**


GENERAL DATA

Standard Working Power	80W(-5%,+10%)
Standard working Voltage	17.6V
Standard Working Current	4.54A
Open Circuit Voltage Voc (@STC)	21.2V
Short Circuit Current Isc(@STC)	4.87A

OUTPUT SOLAR CHARGER BOX

DC 5521 Working Power	80W(-5%,+10%)
DC 5521 Working Voltage	19.3V(-5%,+10%)
Type-C	5V/3A,9V/3A,12V/3A,15V/3A,17.6V/2.25A. 45W
USB-A	5V/2.4V
USB-A(QC3.0)	5V/3A,9V/2A,12V1.5A 18W

Folding method: 1 * 4 fold



Easy to Carry



MC4 Charging Cable

Compatible with Portable Power Stations



300W



500W




1000W



2000W

V-TAC


Meaningful Innovation.



80W

Folding Solar Panels

2 IN 1 INSTALLATION



HANGING
SUITABLE FOR
HANGING ANYWHERE
AND RELEASING SPACE



KICKSTANDS
MAKE THE PANEL
MORE EFFICIENT AT
ABSORBING ENERGY

02 YEAR
WARRANTY

V-TAC.EU

|

VTACEXPORTS.COM

UK
CA

CE

RoHS

PS
E

V-TAC

Meaningful Innovation.

Travel

Stay powered and connected. Charge your devices anywhere — less time worrying about running low on battery and more time enjoying your trip.



Drone



Camera



Laptop

Home

Say goodbye to the inconvenience of sudden outages — power up your basic home appliances whenever you need them. Also perfect for those working in flexible setups.




Printer



Blender



Mobile



Leisure

New spot for your hobbies? Or just a new space for the family to hang out in? Power up your new space of comfort and fun.



Fan



Electric Grill



Mini Cooler



Bring the power right where you need it. Our portable power stations aim to help you power basic necessities wherever you are — whether it be in mobile homes, camp sites, and more. Each unit features intelligent energy monitoring, short circuit protection, overcharge & overpower protection, anti-overheating, and voltage protection. Made with high quality, long-life lithium batteries that are consistent and reliable.

Choose the option that best suits your needs



300W



1000W




2000W

Enhanced battery life

with Intelligent Battery Management System (BMS)

LED Flash Light



- DC charging indicator
- DC output charging indicator
DC output on key, click on / off
- Power click on / off
- Display screen
- AC Output on key, click on / off
- AC Output
- USB-A-QC 18W Output
- 5-20V/3.25A (65W Max)
- USB 2.0 Output
- DC input Charging

V-TAC

Meaningful Innovation.

Portable Power Station 500W



V-TAC.EU | VTACEXPORTS.COM



V-TAC

Meaningful Innovation.

LISTING DETAILS

Model: **VT-606**
SKU Code: **11442**
EAN Code: **3800157692236**

MASTER BOX PACKAGING

Qty: **1pc/box**
Net Weight: **5.4KG**
Product Size: **275x170x200mm**

GENERAL DATA

Battery Pack :	26.2Ah /21.6V 568Wh
AC Rated Output :	500Wh
AC Charge Adaptor :	20V,5A (Support 12V-24V)
Solar Charge :	DC18V-22V Max 5A.
AC Output :	220V Continuous 500W peak Value 1000W
DC Output :	12V,8A
Wireless Charging Output :	15W
USB Output :	5V 2.4A 12W max
QC Output :	QC3.0 5V/3A, 9V/2A,12V1.5A (18W Max)
USB C Output :	5-20V/3.25A (65W Max)
Cycle Life :	Cycled > =1000 Ternary lithium Battery

- Small, light and mobile
- Support mains and photovoltaic charging modes
- Ac 100V, 110, 220V, DC 5V, 9V, 12V, 15V, 20V and other voltage output
- 18650 ternary lithium battery with high performance, high safety and high power
- Over voltage, over voltage, over current, over temperature, short circuit, over charge, over discharge and other system protection functions
- Large LCD display power and function indication
- Support QC3.0 quick charge function, support PD65W quick charge function;
- 0.3s quick start
- High efficiency;



Intelligent monitoring

Real-time monitoring of product performance.



Short-circuit protection

Auto-cut circuit when short occurs.



Overcharge protection

Prevent battery from overcharging and auto-stop when fully charged.



Overpower protection

Product has dynamic power protection which will auto-stop output when overpower occurs.



Battery balance system

Extend the service life of batteries and ensure the consistency of batteries.



Temperature protection

Guarantee battery working at safe temperature.



Over-current protection

Auto-cut circuit when overcurrent occurs.



Over-voltage protection

Protect product from high or low voltage harm to ensure product and facilities safe.